

Margaret Geist Executive Director	January 28, 2009
BOARD OF DIRECTORS	Sharon DeMeo U.S. EPA
Susan Shephard President	1 Congress Street, Suite 1100 Mailcode CIP Boston, MA 02114-2023
John Parker Vice-President	Subject: NPDES Permit Conditions for Mirant Canal Station Sandwich, Massachusetts Permit Number MA0004928
Mary L. Hidden <i>Treasurer</i>	Dear Ms. DeMeo:
William G. Litchfield <i>Clerk</i>	The Association to Preserve Cape Cod (APCC), Cape Cod's nonprofit environmental advocacy organization, writes to you in regard to the Draft National Pollutant Discharge Elimination System (NPDES) permit conditions for cooling water withdrawals and pollutant discharges for the Mirant Canal Station.
Sandy Bayne	As an organization dedicated to the protection of Cape Cod's natural resources,
Anne Ekstrom	APCC is concerned about any uses or activities that would adversely impact the Cape Cod Canal's water quality or the marine organisms located there. It is of
Jane Harris	critical importance that the method used for the intake of cooling water for the
Susan Kadar	Mirant Canal Station be permitted only under the strictest safeguards, and that impacts to fish and other organisms be minimized to the greatest extent possible.
Larry Lown	
Jean C. Mangiafico	Therefore, APCC supports utilization of a Cooling Water Intake Structure (CWIS) that reflects the best technology available (BTA) for reducing impacts to marine
Alan McClennen, Jr.	organisms. APCC also supports the careful analysis conducted by the EPA, which
Jonathan Moore	resulted in a determination that closed-cycle cooling, or an alternate method that achieves the same level of protection, is the BTA for this project.
Christopher Neill	
Erica Parra	APCC urges the EPA and the Massachusetts Department of Environmental Protection to adopt the proposed conditions pertaining to CWIS, as specified in the
Mark H. Robinson	draft NPDES permit.
Daniel A. Wolf	APCC thanks the EPA for this opportunity to comment.
Jean A. Young	Sincerely,

Maggie Geist

Maggie Geist Executive Director