

Municipality/Organization: Southbridge, Massachusetts

EPA NPDES Permit Number: MAR041161

MaDEP Transmittal Number: W-041270

Annual Report Number

& Reporting Period: No.11: May 1, 2013-April 30, 2014

NPDES PII Small MS4 General Permit Annual Report

Part I. General Information

Contact Person: Heather A. Blakeley

Title: Acting Director

Telephone #: 508-764-5403

Email: hblakeley@southbridgemass.org

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature:

Robert T. Reed

Printed Name: Robert Reed

Title: Interim Town Manager

Date:

April 17, 2014

Part II. Self-Assessment

The Town of Southbridge has completed the required self-assessment and has determined that our municipality is in compliance with all permit conditions.

Notable Accomplishments/Improvements in Permit Year 11:

- Stormwater management improvements have continued to be made throughout the Town.
 - Following the tornado event that hit a portion of Town in 2011, the Town realized the importance of protecting our waterways against erosion resulting from deforestation.
 - The Town received grants and worked with many volunteers in order to remove many fallen trees from waterways and plant new trees in affected areas.
 - Plantings and stormwater improvements on Charlton Street and Brookside Road have been completed.
 - Stormwater improvement project on Torrey Road was also completed.
- Increased inspections at construction sites.
- Central Massachusetts Regional Stormwater Coalition (CMRSWC) participation/training.
 - Moving towards electronic inspection tracking with tablet and other resources provided by CMRSWC.
- Local church group is now doing cleanups around town.
 - DPW conducts waste pickup.
- I/I study and ongoing efforts to reduce I/I.

Part III. Summary of Minimum Control Measures

1. Public Education and Outreach

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
1A	Public Outreach	Public Works Dept.	Reach 5 th grade	DPW brought equipment (backhoe & street sweeper) to the elementary school for students K – 1 st to explain what the DPW does and show the students how the equipment works. DPW will make a similar presentation for K – 1 st and 2 nd – 5 th in the next permit year.	Make presentation on water quality to selected students. Consider additional opportunities to educate the public about DPW operations.
Revised	<i>Stormwater Education for Students</i>				
1B	Public Outreach	Water Dept.	Reach all water accounts (4,000 households)	Mailed annual Water Quality Report to residents which details drinking water quality for the Town.	Continue Annual Water Quality Report mailing.
Revised					

1a. 7 Additional Items

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
1C	Stormwater Press Release	DPW / Board of Health	Annual stormwater newspaper article	Advertised the four Household Hazardous Waste (HHW) disposal events in local newspaper and at municipal buildings. Events were held on March 30, June 29, September 28 and December 7. Posted street sweeping on the Town web-site.	Advertise the four Household Hazardous Waste (HHW) disposal events in local newspaper and at municipal buildings. Post street sweeping on Town web-site.
Revised					

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
1D	Distribute educational flyers and advertise Household Hazardous Waste Event	Board of Health	Distribution of Flyers	Household Hazardous Waste flyer advertisements were made available at municipal buildings. The events were advertised in the local newspaper in lieu of mailing the flyers with water bills.	Advertise the four Household Hazardous Waste (HHW) disposal events in local newspaper and at municipal buildings.
Revised					
1E	Develop Stormwater Section of Town Website	DPW and Town Website Manager	Measure number of hits annually.	Posted and updated the street sweeping schedule weekly on the Town web-site and the local cable network.	Continue to post and update the street sweeping schedule weekly on the Town web-site and the local cable network.
Revised					
1F	Broadcast Town Council Meetings to update progress of the Phase II Program	DPW and Channel 12	Broadcast of Town Council meetings	Televised Town Council meetings on local cable channel.	Continue to broadcast any stormwater updates at the Council meeting on local cable.
Revised					
1G	Assist with “Replanting Our Roots” initiative in tornado damaged areas.	DPW, Mass. Dept. of Cons. and Rec. and volunteers	Planting of 77 trees in tornado deforested area.	Volunteers and govt. agencies worked together to plant trees in areas prone to flooding and erosion due to the deforestation by the 6/1/11 tornado. 3 Phases were planned: tornado damage; downtown; and public lands. Phases 1 and 2 are complete. Phase 3 has yet to be completed.	Continue phased planting plan and track results of effort and public outreach/participation.
Revised					
1H	Obtained a \$5,000 grant and removed tornado damaged trees from flood prone areas.	DPW	Removal of many trees from flood prone areas.	The town obtained a \$266,000 grant for Charlton Street drainage and an additional \$25,000 for tree debris removal that was completed in Year 11.	Continue to pursue improvements for Charlton Street and tree debris removal using grant funds. Track results of effort and public outreach/participation.
Revised					

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
1I	Created and distributed Stormwater pamphlets.	DPW	Posted in municipal offices and handed out at 6/23/11 Meet and Greet.	Handouts were posted at Town Hall and DPW.	Continue to post at public places and identify opportunities to hand out pamphlets.
Revised					

2. Public Involvement and Participation

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
2A	Monitor Streams	Conservation Commission	Monitor 1 stream annually	Each year, a group of volunteers working with “The Last Green Valley” tests 8 locations in the Town including the following water bodies; Quinebaug River, Dean Brook, Cohassee Brook, Lebanon Brook, and McKinstry Brook. Waters are tested for dissolved oxygen, turbidity, conductivity, ph and temperature. Color, odor, plants, animals, and trash are recorded. Final results are organized onto a spreadsheet at the end of the year.	Continue stream monitoring program. http://www.tlgv.org/preserve/water-quality-monitoring2/water-quality-monitoring.html
Revised					

2a. 4 Additional Items

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
2B	Neighborhood Cleanup	DPW, Building, Fire, Police, Recycling Coordinator, church groups, Neighborhood groups	Weekly neighborhood walkthroughs during fair weather months	Performed weekly neighborhood walks during Spring and Summer. Dept. Heads targeted different neighborhoods on Friday mornings. DPW inspected for stormwater issues such as stormwater structures, evidence of flooding, trash, pet waste, etc.	Continue to perform neighborhood walks and target stormwater impacts. Evaluate methods for tracking neighborhood participation.
Revised				Walks are publicized in advance and neighborhood participation was encouraged.	

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
2C	Community Meet and Greet	DPW	DPW stormwater information	Town created a new Master Plan that has not yet been accepted. As a result, there have been several community focus meetings.	Continue to attend similar events and offer water quality information to residents.
Revised				Information sessions were also held in the Charlton Street neighborhood before the installation of stormwater improvements in Year 11.	
2D	Assist with “Replanting Our Roots” initiative in tornado damaged areas.	DPW, Mass. Dept. of Cons. and Rec. and volunteers	Planting of 77 trees in tornado deforested area.	Volunteers and govt. agencies worked together to plant trees in areas prone to flooding and erosion due to the deforestation by the 6/1/11 tornado. Refer to BMP 1G.	Track results of effort and public participation.
Revised					
2E	Assist with trash removal from annual Earth Day Cleanup.	DPW	Clean up debris and advertize in newspaper.	Assisted volunteers by picking up the trash from the April 19, 2014 Earth Day Cleanup event. 50 volunteers collected 116 bags, 13 tires and 1 TV at the Year 11 cleanup.	Assist volunteers by picking up the trash from the annual Earth Day Cleanup event. Begin tracking public participation at event.
Revised					

3. Illicit Discharge Detection and Elimination

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
3A Revised	Map Storm Sewer System	DPW	Map Outfalls	100% of all outfalls and the stormwater system have been mapped. Map is available on the Town's web-site.	Maintain map.
3B Revised	Amend Drainage ByLaw	Town Council	Modify Existing Bylaw	No activity.	Review and modify the existing "draft" bylaw and move it forward to Town Council.
3C Revised	Inspect Outfalls	Health Agent	Identify Illicit Discharges	Periodic random outfall inspections were performed again in Year 11 as part of the neighborhood walks (refer to BMP 2B). Four outfalls at Torrey Road, Charlton Street, Brookside Road and Green Ave. were evaluated for any needed improvements. An illicit discharge was identified at the West Street Field outfall during a neighborhood walk in Year 11. Wash water from rugs at the local school was being dumped down a nearby storm drain. This illicit discharge has been addressed.	Continue to inspect selected major outfalls for potential illicit discharges. Design and construct outfall improvements at Torrey Road, Charlton Street and Brookside Road.

3a. 3 Additional Items

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
3D	Household Hazardous Waste Collection Events	Board of health, Recycling Coordinator, Casella Waste Systems	Annual Household Hazardous Waste Day	Southbridge hosts four Household Hazardous Waste (HHW) disposal events. Events were held on March 30, June 29, September 28 and December 7. Flyers were made available at municipal buildings.	Continue to advertize and host HHW collection events four times per year.
Revised				Volunteers counted and tracked cars: - March 30, 2013 – ~200 cars, mainly paints, chemicals and CRTs - June 29, 2013 – ~200 cars, mainly paints, chemicals, and CRTs - Sept 28, 2013 – ~200 cars, mainly paints, chemicals, and CRTs - December 7, 2013 – ~200 cars, mainly paints, chemicals, and CRTs	Continue to track results and participation.

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
3E	Establish Illicit Discharge Hotline	BOH / DPW	Number of phone calls	3 illicit discharges were identified and removed this year.	DPW will continue to handle illicit discharge related phone calls. The DPW phone number will continue to be advertised through existing media. Track calls and record actions taken annually.
Revised				A broken sewer lateral on Union Street was discharging into a nearby storm drain. The illicit discharge has been addressed. A broken sewer line on Elm Street was identified and addressed (see 3F). The other illicit discharge was described under 3C. Calls and complaints were handled by the BOH and DPW. Residents can fill out a complaint form to be recorded by Town personnel. Stormwater complaints are forwarded to the DPW. The DPW documents the complaints and follows up on corrective actions. BOH enforces action as necessary.	
3F	A sewer lateral off of Elm St. was cracked and overflowing into a catch basin causing pollution in the downstream Cohasse Brook.	BOH	The pipe repaired and the overflow stopped.	As discussed in the Year 9 report, the DPW hired a contractor to repair the sewer break and charged the work back to the homeowners who failed to act.	Continue to address sewer main issues as they become known.
Revised				Another sewer infrastructure issue was identified on Elm Street during Year 11. A broken sewer tie-in in a residential backyard was identified and the illicit discharge was repaired.	

4. Construction Site Storm water Runoff Control

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
4A	Control Erosion & Sedimentation	Town Council	Enact New Bylaw	Continued erosion control enforcement as needed.	Review draft bylaw, revise as necessary and move it forward to Town Council.
Revised					

4a. 3 Additional Items

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
4B	Establish a procedure for the receipt of information submitted by the public.	DPW	Number of phone calls	Calls and complaints were handled by the DPW. Residents can fill out a complaint form to be recorded by Town administrative personnel. Stormwater complaints are forwarded to the DPW. The DPW documents the complaints and follows up on corrective actions. Complaints identified 30 catch basins in need of repair. All complaints were addressed and put on the list of repairs for Spring/Summer 2014. 3 calls were received for issues at construction sites.	DPW will continue to handle stormwater related phone calls. The DPW phone number will continue to be advertised through existing media. Track calls and record actions taken annually.
Revised					

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
4C	Construction Site Runoff Site Plan	Conservation Commission	Erosion control site plan	Town regulations required erosion and sediment control plans for all projects requiring a Notice of Intent (NOI) to be submitted to the Conservation Commission for review prior to construction. The Conservation Commission also reviewed site calculations to check pre- and post- development stormwater runoff for compliance with the Massachusetts Stormwater Management Policy.	Continue to require Conservation Commission review of proposed developments.
Revised					
4D	Conduct Inspections for erosion Control	DPW	Inspections performed and documented	The DPW performed inspections of all construction sites to ensure erosion controls were working properly. Subdivision sites were inspected at a minimum once per month.	Continue the current inspection program. Continue to document major erosion and sediment control issues which require enforcement.
Revised					

5. Post-Construction Stormwater Management in New Development and Redevelopment

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
5A Revised	Regulate Post Construction runoff	Town Council	Amend Drainage Control Bylaw	Continued construction site erosion control enforcement as needed.	Review draft bylaw, revise as necessary and move it forward to Town Council.

5a. 2 Additional Items

5B Revised	Post-Construction Site Inspection	DPW	Inspections performed	Before accepting maintenance responsibility for new construction sites, the DPW performs a full inspection of public drainage systems. The Town took over maintenance of a subdivision on Maggie Lane in Year 11. Inspections were completed and forebay repairs were required before the Town took responsibility for the detention pond. The Town also took over maintenance on Howard Farm Road. The DPW compiled a list of required repairs before accepting responsibility for the drainage infrastructure. Finally, a new access road had to be constructed within the drainage easement on Servant Way before the Town would take over maintenance of the surrounding drainage infrastructure.	Continue current inspection program. Continue to document the acceptance of new public drainage systems and incorporate the system into the Town drainage system map.
5C Revised	As-Built Plans	DPW	Plans documenting construction	DPW requires as-built plans to be submitted upon completion of construction.	Continue to require and receive as-built plans for all projects.

6. Pollution Prevention and Good Housekeeping in Municipal Operations

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
6A	Street Sweeping	DPW	Sweep Streets Annually	All streets swept annually between April and June 2013 and 819.34 tons were collected. Collected material was disposed at the Southbridge landfill.	Continue to sweep all streets annually and post on website and local cable access.
Revised				Sweeping schedules were updated weekly and posted on the website and on the local access channel. Priority areas are identified and repeated as needed though out the year.	
6B	Catch Basin Cleaning	DPW	Clean critical basins annually	The DPW cleaned all catch basins in the Town. Collected material was disposed at the Southbridge landfill.	Continue annual catch basin cleaning program. Critical basins cleaned first and more than once as needed.
Revised					Utilize tablet from the stormwater consortium to track data from catch basin inspections.

6a. 6 Additional Items

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
6C	Storm Drain System Inspection and Maintenance	DPW	Inspect and maintain storm drain system at least annually	Outfalls were inspected as outlined in BMP 3C. Catch basins were inspected for issues when cleaned by DPW staff.	Continue outfall and catch basin inspections and maintenance. Inspect all catch basins for structural deficiencies when cleaned by DPW staff.
Revised				As discussed under BMP 4B, complaints from the public identified 30 catch basins in need of repair. Approximately 42 structures were rebuilt last year.	Utilize tablet from the stormwater consortium to track work required and completed.

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
6D Revised	Ensure Covered Storage for Winter Salt	DPW	All salt is covered.	All salt for winter storm operations was covered in the salt shed at the DPW building.	Continue to cover salt materials and track winter salting quantities.
6E Revised	Conduct Town Employee Stormwater Training	DPW	Develop pollution prevention workshop for municipal employees	The Acting DPW Director and 3 additional DPW staff members attended CMRSWC training workshops on SOPs for inspections and storm water management in Year 11. Maintenance practices were also discussed with staff as part of routine cleaning activities.	Conduct training for DPW employees using resources from stormwater consortium.
6F Revised	Perform Neighborhood Roadway Trash Cleanups	DPW, Town Manager, Police, BOH	Amount of trash collected after weekly neighborhood walkthroughs	Southbridge roads were cleaned of trash and debris following the weekly neighborhood walkthroughs (see BMP 2B). Residents can contact the BOH to set up pickup times for bulk items at their homes. The items are disposed of at the landfill. Haz-Waste specialists are used as needed.	Continue neighborhood roadway cleanup and Earth Day cleanup.
6G Revised	Evaluate municipal facilities	DPW, Police, Fire	All municipal facilities evaluated and BMP's implemented within 3 years.	DPW and Police properly manage vehicle wash water. DPW has and utilizes a new wash bay facility. The Police wash their vehicles at the Red Carpet carwash on East Main St. Wash water is properly collected and disposed at both locations.	Continue vehicle washing program for the DPW and Police Dept.'s. Evaluate all remaining municipal facilities for stormwater pollution prevention needs.

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
6H	Town purchased a new street sweeper	DPW	Maintain annual sweeping.	In Permit Year 9, the Town purchased a second street sweeper. The new sweeper continued to support the Town's commitment to street and sidewalk sweeping. The new technology is also more efficient and effective at cleaning the streets.	Continue existing street sweeping practices.

7. BMPs for Meeting Total Maximum Daily Load (TMDL) Waste Load Allocations (WLA) <<if applicable>>

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11	Planned Activities – Permit Year 12
Revised					

7a. 1 Additional Item

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 11 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 12
7A	Develop a Water Quality Strategy for 303d waters	DPW, Conservation Commission	Summary of pollution prevention efforts, future needs, and responsible parties.	The Town continued with implementation of the existing SWMP to address impaired waters.	Continue to implement the existing SWMP. No further action is anticipated until the Phase II permit is renewed.
Revised					Review impaired water list and TMDLs as they are developed, along with information collected as part of the Phase II Stormwater Program and upcoming Phase II permit requirements to develop a water quality strategy to address impaired waters in Town.

7b. WLA Assessment

The Massachusetts Year 2012 Integrated List of Waters outlines several water bodies in Southbridge that are classified as category 5, meaning water bodies in need of a TMDL:

Name	Segment ID	Description	Size	Impairment Cause
Cady Brook	MA41-06	Charlton City WWTP outfall, Charlton to confluence with Quinebaug River, Southbridge.	5.1 miles	-Nutrient/Eutrophication Biological Indicators -(Low flow alterations)
Cohasse Brook	MA41-12	Southbridge through Wells Pond (formerly pond segment MA41053) to the confluence with the Quinebaug River, Southbridge	2.7 miles	-Aquatic Macroinvertebrate Bioassessments -Sedimentation/Siltation -Escherichia coli
Hatchet Brook	MA41-14	From the outlet of No. 3 Reservoir, Southbridge, to the confluence with the Quinebaug River, Southbridge	1.3 miles	-Escherichia coli
McKinstry Brook	MA41-13	Headwaters, east of Brookfield Road, Charlton (excluding intermittent portion) to the confluence with the Quinebaug River, Southbridge	7.3 miles	-Escherichia coli -(Debris/Floatables/Trash)
Morse Pond	MA41033	Southbridge	41.4 acres	-Oxygen, Dissolved -Aquatic Plants (Macrophytes)
Quinebaug River	MA41-02	Sturbridge WWTP outfall, Sturbridge to confluence with Cady Brook, Southbridge	6.5 miles	-Excess Algal Growth -Turbidity -(Debris/Floatables/Trash)
Quinebaug River	MA41-03	Southbridge WWTP outfall, Southbridge to dam just upstream of West Dudley Road, Dudley.	2.2 miles	-Other (unspecified nutrients) -Oxygen, Dissolved -(Physical substrate habitat alterations) -Fecal Coliform -Taste and odor -(Debris/Floatables/Trash)
Quinebaug River	MA41-09	From confluence with Cady Brook, Southbridge to Southbridge WWTP outfall, Southbridge.	1.3 miles	-Aquatic Macroinvertebrate Bioassessments -Ambient Bioassays - Chronic Aquatic Toxicity -Turbidity -(Debris/Floatables/Trash)

There are currently no TMDLs completed for waters in Southbridge. Water quality concerns associated with 303d waters are addressed through the implementation of BMPs under the six minimum measures for Phase II. The approach for addressing impaired waters will be updated based on the new permit.

Part IV. Summary of Information Collected and Analyzed

The Town plans to focus on the following items in the next permit year: public outreach to school kids, utilize the stormwater flyer, finalize and submit a stormwater bylaw to the Council for approval, provide additional stormwater training to DPW employees.

Part V. Program Outputs & Accomplishments (OPTIONAL)

Programmatic

Stormwater management position created/staffed	(y/n)	N
Annual program budget/expenditures	(\$)	\$4,833*
*Number only consists of cost of Annual Report preparation and cost of the matching portion of stormwater grant – total program cost not calculated.		

Education, Involvement, and Training

Estimated number of residents reached by education program(s)	(# or %)	90%
Stormwater management committee established	(y/n)	No
Stream teams established or supported	(# or y/n)	1
Shoreline clean-up participation or quantity of shoreline miles cleaned	(y/n or mi.)	Y
Household Hazardous Waste Collection Days		
▪ days sponsored	(#)	4
▪ community participation	(%)	800 cars
▪ material collected	(tons or gal)	See BMP 3D
School curricula implemented <i>(Flyers mailed to all homes)</i>	(y/n)	N

Legal/Regulatory

	In Place Prior to Phase II	Under Review	Drafted	Adopted
Regulatory Mechanism Status (indicate with “X”)				
▪ Illicit Discharge Detection & Elimination		X		
▪ Erosion & Sediment Control	X			
▪ Post-Development Stormwater Management		X		
Accompanying Regulation Status (indicate with “X”)				
▪ Illicit Discharge Detection & Elimination		X		
▪ Erosion & Sediment Control	X			
▪ Post-Development Stormwater Management		X		

Mapping and Illicit Discharges

Outfall mapping complete	(%)	100%
Estimated or actual number of outfalls	(#)	206
System-Wide mapping complete	(%)	100%
Mapping method(s)		
▪ Paper/Mylar	(%)	
▪ CADD	(%)	
▪ GIS	(%)	100%
Outfalls inspected/screened	(# or %)	25
Illicit discharges identified	(#)	3
Illicit connections removed	(#) (est. gpd)	3
% of population on sewer	(%)	85%
% of population on septic systems	(%)	15%

Construction

Number of construction starts (>1-acre)	(#)	3
Estimated percentage of construction starts adequately regulated for erosion and sediment control	(%)	100%
Site inspections completed	(# or %)	100%
Tickets/Stop work orders issued	(# or %)	1
Fines collected	(# and \$)	0*
Complaints/concerns received from public	(#)	3
*No fines imposed by the Town, only DEP.		

Post-Development Stormwater Management

Estimated percentage of development/redevelopment projects adequately regulated for post-construction stormwater control	(%)	100%
Site inspections completed	(# or %)	5
Estimated volume of stormwater recharged	(gpy)	Unknown

Operations and Maintenance

Average frequency of catch basin cleaning (non-commercial/non-arterial streets)	(times/yr)	1/yr
Average frequency of catch basin cleaning (commercial/arterial or other critical streets)	(times/yr)	>1/yr
Total number of structures cleaned	(#)	2,379
Storm drain cleaned	(LF or mi.)	400 LF
Qty. of screenings/debris removed from storm sewer infrastructure	(lbs. or tons)	462.2 tons
Disposal or use of sweepings (landfill, POTW, compost, recycle for sand, beneficial use, etc.)		Landfill
Cost of screenings disposal	(\$)	0

Operations and Maintenance (con't)

Average frequency of street sweeping (non-commercial/non-arterial streets)	(times/yr)	1/yr
Average frequency of street sweeping (commercial/arterial or other critical streets)	(times/yr)	>1/yr
Qty. of sand/debris collected by sweeping	(lbs. or tons)	819.34 tons
Disposal of sweepings (landfill, POTW, compost, beneficial use, etc.)	(location)	Landfill
Cost of sweepings disposal	(\$)	0
Vacuum street sweepers purchased/leased	(#)	0
Vacuum street sweepers specified in contracts	(y/n)	0

Reduction in application on public land of: (“N/A” = never used; “100%” = elimination)		
▪ Fertilizers	(lbs. or %)	No reduction
▪ Herbicides (Roundup Pro)	(lbs. or %)	No reduction
▪ Pesticides	(lbs. or %)	No reduction

Anti-/De-Icing products and ratios	% NaCl	50%
	% CaCl ₂	0
	% MgCl ₂	0
	% CMA	0
	% Kac	0
	% KCl	0
	% Sand	50%
<i>Two mixtures for anti/deicing the roads:</i>		
50%/50% NaCl and sand mix – most streets (75% of town) - ClearLane and sand (80% clean lane and/20% sand mix) – higher traffic/higher elevation (25% of town). Clearlane is a 99% NaCl product with 0.31 % of MgCl₂. - Clearlane has resulted in an overall reduction in the use of deicing materials.		
Pre-wetting techniques utilized	(y/n)	N
Manual control spreaders used	(y/n)	N
Automatic or Zero-velocity spreaders used	(y/n)	Y (9 sanders)
Estimated net reduction in typical year salt application	(lbs. or %)	Unknown
Salt pile(s) covered in storage shed(s)	(y/n)	100%
Storage shed(s) in design or under construction	(y/n)	Complete