

Municipality/Organization: City of Woburn, Massachusetts

EPA NPDES Permit Number: MAR041073

MaDEP Transmittal Number: W-041026

Annual Report Number

& Reporting Period: No. 10: April 2013 to March 2014

NPDES PII Small MS4 General Permit Annual Report (Due May 1, 2014)

Part I. General Information

Contact Person: John Duran

Title: Superintendent of Public Works

Telephone #: 781-897-5980

Email: jduran@cityofwoburn.com

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature:

Printed Name: Scott D. Galvin

Title: Mayor

Date:

7/16/14

Part II. Self-Assessment

The City of Woburn has completed the required self-assessment and has determined that our municipality is in compliance with all of the permit conditions. We have also undertaken several initiatives during the entire permit term to enhance our stormwater management program. The highlights of our program are presented below:

Public Education/Outreach/Involvement

- Developed stormwater web pages to supplement its public education program. The stormwater website is accessible from the Department of Public Works (DPW) page on the City's website. The site includes information on stormwater contamination, the City's NOI and Annual Reports, and links to environmental groups in the City. (www.cityofwoburn.com/index.asp?nid=386)
- Developed posters presenting efforts by DPW and the city on the stormwater program that are hanging in the DPW lobby. These are used to increase awareness of stormwater issues for DPW employees. The posters have also been presented at the annual Conservation Day event.
- On August 9, 2006, DPW, in conjunction with CDM and the Woburn Residents Environment Network (WREN), sponsored an event to install markers at approximately 100 catch basins around Horn Pond. The markers were used to promote public involvement and raise awareness about the City's stormwater management program. In addition, a video was prepared in conjunction with the city's Local Access Channel (LAC) to discuss stormwater impacts and the catch basin marking program. This video has run periodically on the LAC.

Illicit Discharge Detection and Elimination Program

- A comprehensive field program was undertaken in Fall/Winter 2003 to walk along the banks of all water bodies (Horn pond and other ponds) and rivers and streams (Aberjona River, Middlesex Canal, Shaker Glen Brook, etc.) to locate and inspect stormwater outfalls. This field program consisted of a substantial effort to locate the outfalls and was required because the city had limited mapping of the existing outfalls. As a result, over 600 outfalls were located and the physical features and status of each was recorded on a field inspection sheet. Each outfall was photographed and the data was summarized in two large binders and an electronic database. Approximately 1/3 of the outfalls are actually outfalls from private property and are not owned by the city.
- The outfall locations were recorded in the City's GIS database.
- Follow-up field inspections of the outfalls were performed between 2004 and fall 2009 to identify any outfalls with dry weather flow. To-date, each city owned outfall has been inspected at least twice during the permit period.

Part II. Self-Assessment (continued)

Illicit Discharge Detection and Elimination Program (cont.)

- Approximately forty five (45) outfalls have had dry weather flow during the comprehensive dry weather outfall screening program conducted by the city. Most of the outfalls that have had dry weather flow during these inspections have been sampled at least three times over the last 4 years. Laboratory analysis of the flow has shown that most of the outfalls have no evidence of contamination from illicit sewer connections. At many of the outfalls, the existence of dry weather flow from the outfall is not consistent from inspection to inspection and laboratory sampling indicates no presence of any significant bacteria. Thus, these outfalls have been eliminated from further study.
- There are ten (10) outfalls with consistent dry weather flow during most of the inspection periods and laboratory analyses results that indicated the presence of some level of bacterial contamination. However, based on repeated testing results of these outfalls coupled with the lack of other illicit discharge indicators (i.e. surfactants, odors, floatables etc.) and field inspections, the city has concluded that (with on exception) the presence of coliform in the dry weather flow from these outfalls is probably caused by background contamination from the watershed related to animal feces and is not evidence of bacteriological contamination from a potential illicit sewer connection. Some of the background animal contamination has been confirmed by TV inspections of the pipe and visual observations of animal feces around catch basins that contribute to the outfalls. The city is working to correct the one outfall with a probable cross connection to the sewer system.
- Ongoing efforts are being made by the Department of Public Works, working with Weston & Sampson, Inc. to identify and remove illicit connections that may be impacting outfalls OF-119, OF-118 and OF – 120. Major sewer system improvements are also being performed within these tributary areas for infiltration/inflow reduction which could have a beneficial impact on the water quality of these outfalls..
- IDDE Highlights:
 - Approximately 200 dry weather samples have been collected and analyzed to date.
 - Approximately 2,500 linear feet of drain pipe was TV inspected within the drainage systems tributary to the outfalls that exhibited the potential for illicit connections.
 - The City's Public Services ordinance was updated in January 2007 to incorporate language prohibiting illicit connections and discharges to the drainage system.
 - One outfall has had consistent dry-weather flow and consistently high coliform concentrations and is suspected to have an illicit connection. The city repaired the failing sewer adjacent to this drain line. Outfall sampling in the Fall of 2008 indicate a presence of bacterial contamination, however there are no signs of an illicit connection (i.e. odor, solids, floatables, surfactants, etc.). The City will continue to monitor this outfall.

Part II. Self-Assessment (continued)

Drainage System Mapping and Geographic Information System (GIS)

- The city had no substantial mapping available of the existing drainage pipe system at the start of the permit in 2003 and undertook a comprehensive field inspection program to compile the drainage database.
- Approximately 2,100 manholes were inspected and mapped comprising approximately 88 miles of drain pipe to-date. Drain system manhole and pipe information is collected during the inspections and is incorporated into the GIS system to locate and record all drainage system physical features.
- During the inspections, cleaning requirements for manholes, catch basins and drain lines are identified. The city has followed up on most of the recommended system cleaning requirements noted during the inspections.
- Mapping of the drainage system continues and the GIS will be updated, as needed, as pipes are either added to the system or replaced.

Drainage System Maintenance and Management Computerization

The DPW has installed a City system that tracks any area that come into question on drainage problems.

Employee Training

- All appropriate DPW employees have an up to date training of the most recent storm water practices and knowledge.

Pollution Prevention and Good Housekeeping in Municipal Operations

- The city continues to perform regular housekeeping and pollution prevention activities in the watershed to minimize impacts to stormwater quality including regular street sweeping, catch basin cleaning and attention to municipal operations.
- DPW constructed a new covered storage shed that will house road salt. This storage shed will supplement the existing smaller shed that is currently in use.
- The existing storage shed will be used to temporarily house and cover catch basin residuals and street sweepings before final disposal at DEP approved landfill.
- The city has constructed a new Vector Truck discharge station at a location separate from the DPW yard (adjacent to the former landfill in North Woburn) that will feature a paved area and runoff controls. This will eliminate any potential discharges from this process into Town Meadow Brook. The Vector truck residuals will be temporarily stored in a lined container until removed for final disposal at the Turnkey Recycling and Environmental Enterprises landfill in Rochester, NH.

Part III. Summary of Minimum Control Measures

1. Public Education and Outreach

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 9 (2013) (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 10 (2014)
1-1	Hold Earth Day Celebration	Conservation Commission	Hold event annually	No Earth Day held	No definitive date for Earth Day 2014.
1-2	Hold Conservation Day Event	Conservation Commission	Hold event annually	Conservation Day was held on May 5, 2012 The City notified the public about the event through newspapers, on the City's website and flyers about 2 weeks in advance. Trees were sold to the public at discounted prices.	BMP completed Conservation Day festivities are planned for May 3, 2014 at Horn Pond
1-3	Continue Pet Waste Disposal Practices	Dept. of Public Works	Maintain signs and doggie mitts	Doggie mitt supply was checked/restocked every month. Pet waste disposal signs and waste reception bins were checked daily from April 1st through November 30th.	BMP completed Continue existing program
1-4	Maintain Environmental Awareness Brochures	Dept of Public Works and Conservation Commission	Brochures available	Brochures were distributed in 2012. Brochures restocked once during the permit year.	BMP completed Continue existing program
1-5	Develop Stormwater Brochure	Dept. of Public Works	Brochure developed by May 1, 2004	BMP completed (May 2004)	BMP completed
	Brochure Available for Distribution	Dept. of Public Works	Distribute brochure via mass mailing once during permit term	BMP Completed (February 2005)	BMP Completed

1. Public Education and Outreach (continued)

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 9 (2013) (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 10 (2014)
1-6	DPW staff available for classroom discussions/tours	Dept. of Public Works	Schools aware of opportunity for speakers each fall and spring	Schools were notified of the opportunity.	BMP completed Continue to notify schools of opportunity. Massachusetts Water Resources Authority also has been involved at the middle school level giving stormwater presentations.
1-7	Stormwater bulletins added to Kiosks at Horn Pond	Dept. of Public Works	Bulletin posted on kiosks by May 1, 2004	BMP Completed	BMP completed - Maintain/ update bulletins on kiosks
1-8	Stormwater Information added to DPW's Website	Dept. of Public Works	Stormwater information added to website by May 1, 2005	City added stormwater link to the DPW website in 2005.	BMP completed http://www.cityofwoburn.com/index.asp?nid=386
	Maintain/update information on DPW Website	Dept. of Public Works	Maintain/update website as necessary	Website updated as necessary to provide residents notice of public stormwater events.	BMP completed Continue to update website as necessary.

2. Public Involvement and Participation

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 9 (2013) (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 10 (2014)
2-1	Comply with State Public Notification Guidelines	Planning Board and Any City Department	Post notices on all applicable meetings and environmental awareness events	The City complied with the required state meeting notification guidelines.	BMP completed Notify public of meetings as necessary. DPW to consider adding meeting notifications to website.
2-2	Used Oil Collection Program	Board of Health	Collection held monthly	(Collection held each month by Bill Murphy Waste Oil).	BMP completed Continue monthly collection
2-3	Hold Household Hazardous Waste/Tire Collection Days	Board of Health	Collection held every three months	Collection held 4 times in 2013 at the Spence Farm. Collected items include auto batteries, tires, propane tanks, mercury and batteries, fluorescent lights.	BMP completed Continue quarterly collection
2-4	City-Wide Recycling Program	Board of Health	Recyclables collected every two weeks	(Recyclables were collected by a subcontractor bi-weekly).	BMP completed Continue existing program
2-5	Street Tree Planting Program	Dept. of Public Works	Maintain tree-planting program	14 public shade trees were planted in 2013.	BMP completed Maintain existing program

3. Illicit Discharge Detection and Elimination

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 9 (2013) (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 10 (2014)
3-1	Continue to inspect new sewer connections	Engineering Department	Continue inspection of all new sewer connections	City inspected 20 new/updated sewer connections.	BMP completed Continue existing program
3-2	Map Outfalls/Receiving Waters	Engineering Department	Map completed by May 1, 2005	BMP Completed - Approximately 600 outfalls have been located. Approximately 13 additional outfalls have been located as part of the City's drainage system mapping program.	BMP completed – update GIS system as necessary
3-3	Complete dry weather screening of outfalls	Engineering Department	All outfalls screened once during permit period	BMP Completed – All outfalls that have been located have been screened at least once.	BMP Completed
3-4	Stormwater Ordinance	Engineering Department	Stormwater ordinance adopted January 2007	City ordinances have been adopted	BMP Completed - Stormwater ordinance adopted 1/22/07.
3-5	Develop and implement system for elimination of illicit discharges	Engineering Department	Based on prioritized results in BMP#3-4, determine procedures to identify and remove illicit connections to drain; maintain records.	BMP Completed - City has adopted the <i>Illicit Discharge Detection and Elimination – A Guidance Manual for Program Development and Technical Assessments</i> by the Center for Watershed Protection and Robert Pitt (October 2004) for its IDDE program.	City to continue the illicit connection identification and removal plan

4. Construction Site Stormwater Runoff Control

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 9 (2013) (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 10 (2014)
4-1	Continue to apply Standard 8 of MA Stormwater Policy	Conservation Commission	Standard 8 of the MSP applied during the permit term	City applied Standard 8 as necessary to all relevant development projects. 25 development plans were reviewed by the Conservation Commission in 2013.	BMP completed Continue existing program
4-2	Procedures for Collection of Public Comments	Engineering Department	Maintain existing procedure throughout permit term	Public comments are received/reviewed and filed accordingly.	BMP completed Continue existing program
4-3	Continue inspections for erosion control measures at construction sites within Conservation Commission review	Conservation Commission	Maintain existing policy throughout permit term. Number of construction sites inspected each year	City completed 25 construction site inspections for erosion and sediment control.	BMP completed Continue existing program
4-4	Procedure for Control of Discarded Building Materials	Board of Health and Building Department	Maintain existing procedure throughout permit term. Number of demolition permits issued each year.	12 demolition permits were issued by the City. Every applicant is required to complete a debris disposal form, which includes the location of the facility that will be accepting the debris.	BMP completed Continue existing program
4-5	Amend Subdivision Regulations to Require Erosion and Sediment Control Plan for Sites Disturbing More than 1-acre	Engineering Department	Draft amendment to regulations by May 1, 2005.	The city has adopted the application of procedures for sediment and erosion in compliance with the Massachusetts Stormwater Policy	BMP Completed Continue existing program

4. Construction Site Stormwater Runoff Control (continued)

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 9 (2013) (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 10 (2014)
4-6	Amend Zoning Ordinance to Require Erosion and Sediment Control Plan for Sites Disturbing More than 1-acre	Engineering Department	Draft amendment to regulations by May 1, 2005.	The city has adopted the application of procedures for sediment and erosion in compliance with the Massachusetts Stormwater Policy	BMP Completed Continue existing program

5. Post-Construction Stormwater Management in New Development and Redevelopment

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (2012) (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 9 (2013)
5-1	Continue to implement City's Planning Board Rules and Subdivision Regulations	Engineering Department	Continue enforcement of existing regulations throughout permit term. Number of subdivisions reviewed each year.	City has enforced Rules and Regulations for all projects that have come under its review. The City reviewed 25 site and 5 subdivision plans.	BMP completed Continue existing program
5-2	Maintain Policy Ensuring Long-term Maintenance of Private Structural BMPs	Engineering Department	Maintain existing policy throughout permit term. Number of private structural BMP O&M plans submitted by developers each year.	There were 10 projects reviewed during this permit period that required private structural BMPs with long-term operation and maintenance.	BMP completed Maintain existing policy
5-3	Adopt Massachusetts Stormwater Policy Standards #.2, 3, 4, 7, and 9 in City ordinances	Engineering Department	Draft amendment to regulations by May 1, 2005	The city has adopted the application of procedures for sediment and erosion in compliance with the Massachusetts Stormwater Policy	BMP completed Continue existing program

6. Pollution Prevention and Good Housekeeping in Municipal Operations

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (2012) (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 9 (2013)
6-1	Continue Street Sweeping Program	Dept. of Public Works	Sweep all streets in the City twice annually	All streets were swept twice in 2013. Some streets in priority areas swept more than twice as needed. Main streets several times	BMP completed Continue existing program
6-2	Continue Catch Basin Cleaning Program	Dept. of Public Works	Clean 75% of catch basins in City each year. All CBs cleaned on a three year rotating schedule.	3,100 of the 4,057 catch basins in the City were cleaned this year. Some catch basins in sensitive receptors were cleaned more than once.	BMP completed Continue existing program
6-3	Continue Salting/Snow Removal Practices	Dept. of Public Works	Continue existing practices throughout permit term.	Salt is stored in covered areas and spreaders were calibrated as needed to limit salt. Records of salt use are kept by DPW. Alternative deicing methods were used where practical and near sensitive receptors.	BMP completed Continue existing program
6-4	Hazardous Waste Response Program	Dept. of Public Works	Continue existing program throughout permit term	The City maintained spill kits and followed Spill Prevention Control and Counter Measure Plan	BMP completed Continue existing program
6-5	Continue Vehicle Washing Practices	Dept. of Public Works	Continue existing practices throughout permit term	City vehicles are washed at a local private car wash facility.	BMP completed Continue existing program
6-6	Continue Vehicle Maintenance Practices	Dept. of Public Works	Continue existing practices throughout permit term	Municipal vehicle maintenance, including police vehicles, was performed in a garage that has oil and grease traps, and an oil/water separator.	BMP completed Continue existing program

6. Pollution Prevention and Good Housekeeping in Municipal Operations (continued)

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (2012) (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 9 (2013)
6-7	Park and Landscape Maintenance	Dept. of Public Works	Continue existing practices throughout permit term	The City does not use fertilizers near Horn Pond and the Aberjona River.	BMP completed Continue existing program
6-8	Develop/Implement Employee Education/Training Program	Dept. of Public Works	Stormwater related training during permit term for each appropriate employee	DPW supervisors and employees are up to date on all training	City to continue training of employees on stormwater impacts during permit term.

7. BMPs for Meeting Total Maximum Daily Load (TMDL) Waste Load Allocations (WLA) <<if applicable>>

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (2012) (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 9 (2013)
	Not Applicable				