

**Year 5 Annual Report**  
**Massachusetts Small MS4 General Permit**  
**Reporting Period: July 1, 2022-June 30, 2023**

*\*\*Please DO NOT attach any documents to this form. Instead, attach all requested documents to an email when submitting the form. Also ensure any websites included on this form are to publicly accessible sites\*\**

*Unless otherwise noted, all fields are required to be filled out. If a field is left blank, it will be assumed the requirement or task has not been completed. Please ONLY report on activities between July 1, 2022 and June 30, 2023 unless otherwise requested.*

**Part I: Contact Information**

Name of Municipality or Organization:

EPA NPDES Permit Number:

**Primary MS4 Program Manager Contact Information**

Name:  Title:

Street Address Line 1:

Street Address Line 2:

City:  State:  Zip Code:

Email:  Phone Number:

**Stormwater Management Program (SWMP) Information**

SWMP Location (publicly available web address):

Date SWMP was Last Updated:

If the SWMP is not available on the web please provide the physical address:

## Part II: Self-Assessment

First, in the box below, select the impairment(s) and/or TMDL(s) that are applicable to your MS4. Make sure you are referring to the most recent EPA approved Section 303(d) Impaired Waters List which can be found here: <https://www.epa.gov/tmdl/region-1-impaired-waters-and-303d-lists-state>

**Impairment(s)**

Bacteria/Pathogens       Chloride       Nitrogen       Phosphorus  
 Solids/ Oil/ Grease (Hydrocarbons)/ Metals

**TMDL(s)**

*In State:*       Assabet River Phosphorus       Bacteria and Pathogen       Cape Cod Nitrogen  
 Charles River Watershed Phosphorus       Lake and Pond Phosphorus

*Out of State:*       Bacteria/Pathogens       Metals       Nitrogen       Phosphorus

Next, check off all requirements below that have been completed. **By checking each box you are certifying that you have completed that permit requirement fully.** If you have not completed a requirement leave the box unchecked. Additional information will be requested in later sections.

Annual Requirements

- Provided an opportunity for public participation in review and implementation of SWMP and complied with State Public Notice requirements
- Kept records relating to the permit available for 5 years and made available to the public
- The SSO inventory has been updated, including the status of mitigation and corrective measures implemented
  - This is not applicable because we do not have sanitary sewer
  - This is not applicable because we did not find any new SSOs
  - The updated SSO inventory is attached to the email submission
  - The updated SSO inventory can be found at the following publicly available website:

- Updated system map due in year 2 as necessary
- Provided training to employees involved in IDDE program within the reporting period
- Properly stored and disposed of catch basin cleanings and street sweepings so they did not discharge to receiving waters
- All curbed roadways were swept at least once within the reporting period
- Enclosed all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities

- Updated inventory of all permittee owned facilities as necessary
- O&M programs for all permittee owned facilities have been completed and updated as necessary
- Implemented all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implemented program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Inspected all permittee owned treatment structures (excluding catch basins)

*Optional:* If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

### **Bacteria/ Pathogens** (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

#### Annual Requirements

##### *Public Education and Outreach\**

- Annual message was distributed encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Permittee or its agents disseminated educational material to dog owners at the time of issuance or renewal of dog license, or other appropriate time
- Provided information to owners of septic systems about proper maintenance in any catchment that discharges to a water body impaired for bacteria
  - This is not applicable because there are no septic systems present

*\* Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

*Optional:* If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Flyers on pet waste collection were included on the local cable network as part of an informational slideshow. The Townwebsite also provides information on pet waste collection and pickup.

### **Nitrogen** (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

#### Annual Requirements

##### *Public Education and Outreach\**

- Distributed an annual message in the spring (April/May) that encourages the proper use and disposal of grass clippings and encourages the proper use of slow-release fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

*\* Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

*Good Housekeeping and Pollution Prevention for Permittee Owned Operations*

- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

*Structural BMPs*

- Completed the evaluation of all permittee owned properties identified as presenting retrofit opportunities or areas for structural BMP installation under permit part 2.3.6.d or identified in the Nitrogen Source Identification Report, including: *(select the items of the evaluation that have been completed below)*
  - Next planned infrastructure, resurfacing, or redevelopment activity planned for the property (if applicable) OR planned retrofit date
  - Estimated cost of redevelopment or retrofit BMPs
  - Engineering and regulatory feasibility of redevelopment or retrofit BMPs
- Completed a listing of planned structural BMPs and a plan and schedule for implementation
  - The BMP list and implementation schedule is attached to the email submission
  - The BMP list and implementation schedule can be found at the following publicly available website:

- Any structural BMPs listed in Table 3 of Attachment 1 to Appendix F already existing or installed in the regulated area by the permittee or its agents was tracked and the nitrogen removal by the BMP was
  - estimated consistent with Attachment 1 to Appendix F. The BMP type, total area treated by the BMP, the design storage volume of the BMP, and the estimated nitrogen removed in mass per year by the BMP were documented.

- No BMPs were installed
- The above referenced BMP information is attached to the email submission
- The above referenced BMP information can be found at the following publicly available website:

Total estimated nitrogen removed in lbs/year from the installed BMPs:

*Optional:* If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Public Education - Seasonal messages were posted on the Town's website and included messages related to lawn care, pet waste, leaf litter disposal, etc. Flyers were also distributed at the Town Hall and on the local cable access channel as part of an informational slideshow.

**Phosphorus** (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach\**

- Distributed an annual message in the spring (April/May) encouraging the proper use and disposal of grass clippings and encouraging the proper use of slow-release and phosphorus-free fertilizers

- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
  - Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter
- \* Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

*Good Housekeeping and Pollution Prevention for Permittee Owned Operations*

- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

*Structural BMPs*

- Completed the evaluation of all permittee owned properties identified as presenting retrofit opportunities or areas for structural BMP installation under permit part 2.3.6.d or identified in the Phosphorus Source Identification Report, including: *(select the items of the evaluation that have been completed below)*
  - Next planned infrastructure, resurfacing, or redevelopment activity planned for the property (if applicable) OR planned retrofit date
  - Estimated cost of redevelopment or retrofit BMPs
  - Engineering and regulatory feasibility of redevelopment or retrofit BMPs
- Completed a listing of planned structural BMPs and a plan and schedule for implementation
  - The BMP list and implementation schedule is attached to the email submission
  - The BMP list and implementation schedule can be found at the following publicly available website:

- Any structural BMPs already existing or installed in the regulated area by the permittee or its agents was tracked and the phosphorus removal by the BMP was estimated consistent with Attachment 3 to Appendix F. The BMP type, total area treated by the BMP, the design storage volume of the BMP, and the estimated phosphorus removed in mass per year by the BMP were documented.

- No BMPs were installed
- The above referenced BMP information is attached to the email submission
- The above referenced BMP information can be found at the following publicly available website:

Total estimated phosphorus removed in **lbs/year** from the installed BMPs:

*Optional:* If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Public Educations - Seasonal messages were posted to the Town's website and included messages related to lawn care, pet waste, leaf litter disposal, etc. Flyers were also distributed at the Town Hall and on the local cable access channel as part of an informational slideshow.

**Solids, Oil and Grease (Hydrocarbons), or Metals**

Annual Requirements

*Good Housekeeping and Pollution Prevention for Permittee Owned Operations*

- Increased street sweeping frequency of all municipal owned streets and parking lots to a schedule that targets areas with potential for high pollutant loads
  - The street sweeping schedule is attached to the email submission
  - The street sweeping schedule can be found at the following publicly available website:

Included as an appendix in the SWMP Plan, available for download at: [http://www.abingtonma.gov/sites/g/files/vyhlf236/f/uploads/2021\\_abington\\_swmp\\_plan\\_update.pdf](http://www.abingtonma.gov/sites/g/files/vyhlf236/f/uploads/2021_abington_swmp_plan_update.pdf)

- Prioritized inspection and maintenance for catch basins to ensure that no sump shall be more than 50 percent full; Cleaned catch basins more frequently if inspection and maintenance activities indicated excessive sediment or debris loadings

*Optional:* If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Street Sweeping - All streets were swept twice during Year 5.

Increased Sweeping for High Pollutant Loads - This was determined not to be necessary for the Town as these areas are not observed to accumulate more sediment and debris than other areas within the Town.

*Optional:* Use the box below to provide any additional information you would like to share as part of your self-assessment:

### Part III: Receiving Waters/Impaired Waters/TMDL

Have you made any changes to your lists of receiving waters, outfalls, or impairments since the NOI was submitted?

- Yes
- No

If yes, describe below, including any relevant impairments or TMDLs:

The Town has determined it is subject to the following additional TMDL and Impaired Waters requirements:  
-French Stream (e.coli), bacteria TMDL requirements (Appendix F, Part A.III)

## Part IV: Minimum Control Measures

Please fill out all of the metrics below. If applicable, include in the description who completed the task if completed by a third party.

### MCM1: Public Education

Number of educational messages completed **during this reporting period:**

Below, report on the educational messages completed **during this reporting period**. For the measurable goal(s) please describe the method/measures used to assess the overall effectiveness of the educational program.

#### **BMP:Stormwater Webpage with Seasonal Messages**

Message Description and Distribution Method:

Develop and maintain a stormwater webpage with informational topics for a variety of residents. The current webpage has some general educational information on stormwater and a link to the "Fowl Water" video developed by ThinkBlue from the Town's stormwater website: <https://www.abingtonma.gov/stormwater>. The website also provides links to multiple fact sheets, including seasonal-specific information on dog waste pickup, proper fertilizer usage, and leaf litter collection.

Targeted Audience:

Responsible Department/Parties:

Measurable Goal(s):

Message Date(s):

Message Completed for: Appendix F Requirements  Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes  No

If yes, describe why the change was made:

#### **BMP:Public Access Channel**

Message Description and Distribution Method:

Seasonal messages were posted to the Abington Cable public access channel as part of an informational slideshow. Messages targeted lawn care, pet waste, vehicle washing, and leaf litter disposal.

Targeted Audience:

Responsible Department/Parties:

Measurable Goal(s):

Message Date(s): Seasonally, spring, summer, and fall

Message Completed for: Appendix F Requirements  Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes  No

If yes, describe why the change was made:

**BMP:Informational Brochures**

Message Description and Distribution Method:

Provided seasonal brochures available for collection at the Town Hall and Library on a seasonal basis.

Targeted Audience: Residents, Businesses & commercial, Developers & Construction, Industrial

Responsible Department/Parties: Department of Public Works

Measurable Goal(s):

Provide seasonal brochure at select physical locations.

Message Date(s): Seasonally, spring, summer, and fall

Message Completed for: Appendix F Requirements  Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes  No

If yes, describe why the change was made:

**BMP:Social Media**

Message Description and Distribution Method:

Provide relevant stormwater information to different audiences via social media.

Targeted Audience: Residents, Businesses, Institutions, Commercial Facilities, Developers (construction), Indu

Responsible Department/Parties: Information Technology

Measurable Goal(s):

Follow statewide "Think Blue" campaign on social media platforms. Note, results of the statewide ThinkBlue campaign were not available prior to submitting this annual report.

Message Date(s):

Message Completed for: Appendix F Requirements  Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes  No

If yes, describe why the change was made:

Add an Educational Message

### MCM2: Public Participation

Describe the opportunity provided for public involvement in the development of the Stormwater Management Program (SWMP) **during this reporting period:**

SWMP Plan for Download - The Town has posted the SWMP Plan on Town website along with contact information to allow for public comment.

Was this opportunity different than what was proposed in your NOI? Yes  No

Describe any other public involvement or participation opportunities conducted **during this reporting period:**

### MCM3: Illicit Discharge Detection and Elimination (IDDE)

#### Sanitary Sewer Overflows (SSOs)

*Check off the box below if the statement is true.*

This SSO section is NOT applicable because we DO NOT have sanitary sewer

*Below, report on the number of SSOs identified in the MS4 system and removed **during this reporting period.***

Number of SSOs identified:

Number of SSOs removed:

### **MS4 System Mapping**

*Optional:* Provide additional status information regarding your map:

The Town conducted extensive mapping during Permit Year 3, which continued throughout Permit Year 4. All known outfalls, catch basins, manholes, stormwater BMPs, and receiving waterbodies with impairments have been mapped to date. Initial catchment delineations have also been completed based on topographic mapping and available stormwater system information. Mapping of piping, open channel conveyances, and any newly located outfalls is ongoing. Mapping interconnections with other MS4s (e.g. DOT) is ongoing, and it is expected that this will continue as part of DOT's own mapping efforts to be completed under a future TS4 permit.

The Town has identified a number of data gaps in its drainage mapping (e.g., catch basins without piping, disconnected drainage networks, etc.) and has begun investigating these through field efforts. Any new outfalls/interconnections discovered through this process will be mapped and screened for dry weather flow.

### **Screening of Outfalls/Interconnections**

*If conducted, please submit any outfall monitoring results from this reporting period. Outfall monitoring results should include the date, outfall/interconnection identifier, location, weather conditions at time of sampling, precipitation in previous 48 hours, field screening parameter results, and results from all analyses. Please also include the updated inventory and ranking of outfalls/interconnections based on monitoring results.*

- No outfalls were inspected
- The above referenced outfall screening data is attached to the email submission
- The above referenced outfall screening data can be found at the following publicly available website:

*Below, report on the number of outfalls/interconnections screened **during this reporting period**.*

Number of outfalls screened:

*Below, report on the percent of outfalls/interconnections screened **to date**.*

Percent of outfalls screened:

*Optional:* Provide additional information regarding your outfall/interconnection screening:

10 additional outfall structures were screened during Permit Year 5, of which 8 were new outfalls that were found. One could not be accessed and was determined to not exist. As/if additional outfalls are located, they are screened during dry weather for potential illicit discharges.

### **Catchment Investigations**

*If conducted, please submit all data collected during this reporting period as part of the dry and wet weather investigations. Also include the presence or absence of System Vulnerability Factors for each catchment.*

- No catchment investigations were conducted
- The catchment investigation data is attached to the email submission
- The catchment investigation data can be found at the following publicly available website:

Below, report on the number of catchment investigations completed **during this reporting period**.

Number of catchment investigations completed this reporting period:

Below, report on the percent of catchments investigated **to date**.

Percent of total catchments investigated:

*Optional:* Provide any additional information for clarity regarding the catchment investigations below:

The Town is assessing catchment investigation status during Year 6. Many catchments do not have Key Junction Manholes and/or System Vulnerability Factors; and thus inspections are complete as outfalls have been screened during dry weather.

### **IDDE Progress**

*If illicit discharges were found, please submit a document describing work conducted over this reporting period, and cumulative to date, including location source; description of the discharge; method of discovery; date of discovery; and date of elimination, mitigation, or enforcement OR planned corrective measures and schedule of removal.*

- No illicit discharges were found
- The illicit discharge removal report is attached to the email submission
- The illicit discharge removal report can be found at the following publicly available website:

Below, report on the number of illicit discharges identified and removed, along with the volume of sewage removed **during this reporting period**.

Number of illicit discharges identified:

Number of illicit discharges removed:

Estimated volume of sewage removed:  gallons/day

Below, report on the total number of illicit discharges identified and removed to date. At a minimum, report on the number of illicit discharges identified and removed **since the effective date of the permit (July 1, 2018)**.

Total number of illicit discharges identified:

Total number of illicit discharges removed:

*Optional:* Provide any additional information for clarity regarding illicit discharges identified, removed, or planned to be removed below:

### **Employee Training**

Describe the frequency and type of employee training conducted **during this reporting period:**

IDDE Training - Training was completed on November 15, 2022 with applicable DPW staff. This session also provided training on Stormwater Pollution Prevention Plan (SWPPP) implementation and inspections at the DPW Garage.

**MCM4: Construction Site Stormwater Runoff Control**

*Below, report on the construction site plan reviews, inspections, and enforcement actions completed **during this reporting period.***

Number of site plan reviews completed: 0

Number of inspections completed: 0

Number of enforcement actions taken: 0

*Optional:* Enter any additional information relevant to construction site plan reviews, inspections, and enforcement actions:

[Empty text box for optional information]

**MCM5: Post-Construction Stormwater Management in New Development and Redevelopment**

**Ordinance or Regulatory Mechanism**

Date update was completed (due in year 3): Bylaw: October 19, 2020  
Regulations: June 7, 2021

Website of ordinance or regulatory mechanism: [www.abingtonma.gov/sites/g/files/vyhlf236/f/uploads/stormwater\\_mgmt\\_bylaw\\_2020\\_adopt\\_0.pdf](http://www.abingtonma.gov/sites/g/files/vyhlf236/f/uploads/stormwater_mgmt_bylaw_2020_adopt_0.pdf)  
Regulations: [www.abingtonma.gov/sites/g/files/vyhlf236/f/uploads/stormwater\\_management\\_rules\\_and\\_regs\\_rev\\_final\\_10\\_15\\_21\\_.pdf](http://www.abingtonma.gov/sites/g/files/vyhlf236/f/uploads/stormwater_management_rules_and_regs_rev_final_10_15_21_.pdf)

**As-built Drawings**

*Below, report on the number of as-built drawings received **during this reporting period.***

Number of as-built drawings received:

*Optional:* Enter any additional information relevant to the submission of as-built drawings:

### **Street Design and Parking Lots Report**

Below, describe any changes made or planned to be made to local regulations and guidelines based on the report completed in Year 4:

No changes to date. To be determined pending discussions between various departments. Estimated June 30, 2025.

### **Green Infrastructure Report**

Below, describe progress towards making green infrastructure practices allowable based on the report completed in Year 4:

No changes to date. To be determined pending discussions between various departments. Estimated June 30, 2025.

### **Retrofit Properties Inventory**

Below, list remaining permittee-owned properties that could be modified or retrofitted with BMPs to mitigate impervious areas (must maintain a minimum of 5 sites in inventory until less than 5 sites remain):

North River Collaborative: Space for large BMP on southern grassed part of parcel. Can install additional catch basins in parking lot and create drainage connections between all existing and proposed basins to outfall to a BMP, allowing for treatment of all runoff from parking area.

Woodsdale Elementary School: Install catch basins in the other parking areas and on either side of the basketball court. Construct a BMP in the grassed island west of the school and tie in proposed catch basins.

Plymouth Street Baseball Field: Construct BMP along fence line of baseball field to treat runoff that currently pools up there. Look into existing drainage networks that outfall in southern part of parcel to investigate potential to retrofit these networks into proposed BMP.

Beaver Brook Elementary School: All parking areas could potentially become pervious pavement, but this

could be costly. Potential to install multiple BMPs (swales, rain gardens, etc.) around the school, specifically along the northeast entrance, southeast corner, and in the grassed area on the western side of the school. Would also install additional catch basins in parking areas to capture runoff.

Senior Center & Dog Park: Install a series of catch basins on the eastern and southern side of the property. This drainage system can discharge into a BMP constructed in the grassed area west of the Pickleball courts. Additional catch basins can be installed within the northern parking lot and tie into the existing catch basin to capture additional runoff.

Additionally, the Town is also looking at the following sites to be explored in more detail during Year 6:

- Town Hall: retrofit an existing stormwater BMP to provide enhanced treatment and install a raingarden.
- Arnold Park: install a new stormwater BMP to treat runoff from nearby roadways.

Below, list all properties that have been modified or retrofitted with BMPs to mitigate impervious area that were inventoried as part of 2.3.6.d of the permit. Non-MS4 owned properties that have been modified or retrofitted with BMPs to mitigate impervious area may also be listed, but must be indicated as non-MS4.

No properties have been modified or retrofitted with BMPs to date.

### MCM6: Good Housekeeping

#### **Catch Basin Cleaning**

*Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins **during this reporting period.***

Number of catch basins inspected:

Number of catch basins cleaned:

Total volume or mass of material removed from all catch basins:

*Below, report on the total number of catch basins in the MS4 system.*

Total number of catch basins:

*If applicable:*

Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine inspections/cleaning events:

**Street Sweeping**

Report on street sweeping completed **during this reporting period** using one of the three metrics below.

- Number of miles cleaned:
- Volume of material removed:  [Select Units]
- Weight of material removed:  tons

**Stormwater Pollution Prevention Plan (SWPPP)**

Below, report on the number of site inspections for facilities that require a SWPPP completed **during this reporting period**.

Number of site inspections completed:

Describe any corrective actions taken at a facility with a SWPPP:

Not applicable, no corrective actions have been taken to date.

**Additional Information****Monitoring or Study Results**

Results from any other stormwater or receiving water quality monitoring or studies conducted during the reporting period not otherwise mentioned above, where the data is being used to inform permit compliance or permit effectiveness must be attached.

- Not applicable
- The results from additional reports or studies are attached to the email submission
- The results from additional reports or studies can be found at the following publicly available website(s):

If such monitoring or studies were conducted on your behalf or if monitoring or studies conducted by other entities were reported to you, a brief description of the type of information gathered or received shall be described below:

**Additional Information**

*Optional:* Enter any additional information relevant to your stormwater management program implementation during the reporting period. Include any BMP modifications made by the MS4 if not already discussed above. If any of the above year 5 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

### **Activities Planned for Next Reporting Period**

Please confirm that your SWMP has been, or will be, updated to comply with all applicable permit requirements including but not limited to the year 6 requirements summarized below. (Note: impaired waters and TMDL requirements are not listed below)

Yes, I agree

#### **Annual Requirements**

- Annual report submitted and available to the public
- Annual opportunity for public participation in review and implementation of SWMP
- Keep records relating to the permit available for 5 years and make available to the public
- Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters
- Annual training to employees involved in IDDE program
- Update inventory of all known locations where SSOs have discharged to the MS4
- Continue public education and outreach program
- Update outfall and interconnection inventory and priority ranking and include data collected in connection with the dry weather screening and other relevant inspections conducted
- Implement IDDE program
- Review site plans of construction sites as part of the construction stormwater runoff control program
- Conduct site inspection of construction sites as necessary
- Inspect and maintain stormwater treatment structures
- Log catch basins cleaned or inspected
- Sweep all curbed streets at least annually
- Continue investigations of catchments associated with Problem Outfalls
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities
- Review inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment; update if necessary
- Review O&M programs for all permittee owned facilities; update if necessary
- Implement all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implement program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Enclose all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Review as-built drawings for new and redevelopment to ensure compliance with post construction bylaws, regulations, or regulatory mechanism consistent with permit requirements
- Inspect all permittee owned treatment structures (excluding catch basins)

## Part V: Certification of Small MS4 Annual Report 2023


### 40 CFR 144.32(d) Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name:  Title:

Signature:  Date:

*[Signatory may be a duly authorized representative]*



# Town of Abington

OFFICE OF  
**TOWN MANAGER**

500 GLINIEWICZ WAY  
ABINGTON, MA 02351  
(781) 982-2100  
FAX (781) 982-2138

Thelma Murphy, Chief  
Environmental Protection Agency  
Stormwater & Construction Permits Section  
Office of Ecosystem Protection  
5 Post Office Square (OEP06-1)  
Boston, Massachusetts 02109

September 21, 2020

Re: MS4 Delegation of Signature Authority  
Town of Abington Department of Public Works Facility  
Abington, Massachusetts

Dear Ms. Murphy:

By Notice of this letter, I hereby delegate signatory authority to the following individual for all reports, including the Stormwater Pollution Prevention Plan (SWPPP), inspection reports, annual reports, monitoring reports, reports on training and other information required by the United States Environmental Protection Agency's (USEPA's) 2016 National Pollutant Discharge Elimination System (NPDES) General Permit for Stormwater Discharges from Small Municipal Separate Storm Sewer Systems (MS4 General Permit) in Massachusetts, for the Town of Abington Department of Public Works Facility, in Abington, Massachusetts.

Name: John F. Stone  
Title: Director, Department of Public Works  
Mailing Address: 225 Central Street, Abington, MA 02351  
Email Address: [jstone@abingtonma.gov](mailto:jstone@abingtonma.gov)

Office Phone Number: 781 982-2122

Signatory authority is delegated in accordance with the signatory requirements of Appendix B – Subparagraph 11 of the MS4 General Permit.

If you have any questions regarding this letter, please contact me at the email address or phone number provided below.

Sincerely,



Scott Lambiase

Abington Town Manager

500 Gliniewicz Way

Abington, Massachusetts 02351

slambiase@abingtonma.gov

781 982-2100

P:\4200s\4286.00\Source Files\Task 120 - SWPPP\MS4 SWPPP\Appendix E -  
Delegation\Signatory Delgation.docx